

Mount Washington, KY, 40047, US

Certificate of Analysis

Kaycha Labs Mint FS 500 mc



Matrix: Derivative

N/A

Sample:MO01104005-001 Harvest/Lot ID: 51443 Seed to Sale #N/A Batch Date :N/A Batch#: 51443 Sample Size Received: 5 ml Retail Product Size: 60 ml Ordered : 11/04/20 Sampled : 11/04/20 Completed: 11/05/20 Expires: 11/05/21 Sampling Method: SOP Client Method




MISC.

Terpenes

Nov 05, 2020 | Extract Wellness 1415 Bardstown Rd Extract Louisville , KY, 40204, US Wellness

PRODUCT IMAGE SAFETY RESULTS



Analyzed by	Weight	Extraction date :	Extracted By :
19	1.4955g	NA	NA
Analysis Method -SOP.T.4	0.020, SOP.T.30.050	Reviewed On - 11/05/20 09:56:02	Batch Date : 11/04/20 14:07:01
Analytical Batch -MO001363POT Instrument Used : HPLC Potency Analyzer Running On :			

Dilution

Reagent

Consums. ID

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP,T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis, LOQ for all cannabinoids is 1 mg/L). Measurement of Uncertainty: 2.7%

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LQQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

David Greene Lab Director

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164

Signature

11/05/2020

Signed On